



This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




**Estimated Navigation Dredging Needs
after Completion of GE Project**
New York State Canal Corporation
Albany Division, Section 1
Lock C6 to Lock C7, Sheet 9

*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




**Estimated Navigation Dredging Needs
after Completion of GE Project**
New York State Canal Corporation
Albany Division, Section 1
Lock C6 to Lock C7, Sheet 8

*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Lock C6 to Lock C7, Sheet 7

*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




Estimated Navigation Dredging Needs
after Completion of GE Project
New York State Canal Corporation
Albany Division, Section 1
Lock C6 to Lock C7, Sheet 6


*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Lock C6 to Lock C7, Sheet 3


*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 119.0 ft. Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 102.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 102.5 ft Barge Canal Datum.

Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Lock C5 to Lock C6, Sheet 2




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.


Scale




*Depths are from the published pool elevation of 102.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.



This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.

Scale




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.


Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Lock C4 to Lock C5, Sheet 8




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.


Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Lock C4 to Lock C5, Sheet 6




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




**Estimated Navigation Dredging Needs
after Completion of GE Project**
New York State Canal Corporation
Albany Division, Section 1
Lock C4 to Lock C5, Sheet 4


*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYS CC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 83.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 67.5 ft Barge Canal Datum. Add 6.0 ft to these depths when the dams at NYSEG are up.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 67.5 ft Barge Canal Datum. Add 6.0 ft to these depths when the dams at NYSEG are up.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 48.0 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 48.0 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 29.5 ft BCD.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 29.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 29.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.




*Depths are from the published pool elevation of 29.5 ft Barge Canal Datum.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYS CC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 15.2 ft Barge Canal Datum. Add 1.7 ft to depths for flashboard system at Green Island Power Authority.




This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.



*Depths are from the published pool elevation of 15.2 ft Barge Canal Datum. Add 1.7 ft to depths for flashboard system at Green Island Power Authority.

Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Troy to Lock C1, Sheet 2



This map represents estimated conditions in the Champlain Canal at the completion of the PCB Remediation Project. All bathymetry is based on a 2009 survey by the NYSCC. The navigational design depth of the Champlain Canal is 12 feet.

*Depths are from the published pool elevation of 15.2 ft Barge Canal Datum. Add 1.7 ft to depths for flashboard system at Green Island Power Authority.

Estimated Navigation Dredging Needs
after Completion of GE Project
 New York State Canal Corporation
 Albany Division, Section 1
 Troy to Lock C1, Sheet 1